


MULTITEL J360TA

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	26-01-06	W.B.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

D38216

400 Kg 200 Kg

SBRACCIO DI LAVORO	27 m	30 m	±5%
WORKING OUTREACH	27 m	30 m	±5%
DEPORT DE TRAVAIL	27 m	30 m	±5%
SEITLICHE REICHWEITE	27 m	30 m	±5%



MULTITEL J360TA


D38217

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	26-01-06	W.B.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

STABILIZZATORI PARZIALMENTE ESTESI
 PARTIALLY EXTENDED STABILIZERS
 STABILISATEURS ETENDUS PARTIELLEMENT
 PARTIAL AUSGEFAHRENE STÜTZEN

P.T.T.=32000kg
 G.V.W.=32000kg
 P.T.A.C.=32000kg
 GES. GEWICHT=32000kg

	400 kg	200 kg
SBRACCIO DI LAVORO	21 m ±5%	23.5 m ±5%
WORKING OUTREACH	21 m ±5%	23.5 m ±5%
DEPORT DE TRAVAIL	21 m ±5%	23.5 m ±5%
SEITLICHE REICHWEITE	21 m ±5%	23.5 m ±5%



MULTITEL J360TA

D38218

Ente	Rev.	Descrizione	Data	Dis.	Contr.	Ap.AQ
MRK	0	EMISSIONE	27-01-06	W.B.		
DIAGRAMMA - SCHEDA 54/2 - Rev. 0 - 15/12/00						

200 kg

STABILIZZAZIONE PARZIALE RIDOTTA

SBRACCIO DI LAVORO	22.8 m ±5%
WORKING OUTREACH	22.8 m ±5%
DEPORT DE TRAVAIL	22.8 m ±5%
SEITLICHE REICHWEITE	22.8 m ±5%

